

Основные сведения

Тип декларации	Декларация о соответствии требованиям технического регламента Евразийского экономического союза (технического регламента Таможенного союза)
Технические регламенты	ТР ТС 004/2011 О безопасности низковольтного оборудования
Группа продукции ЕАЭС	ТР ТС 020/2011 Электромагнитная совместимость технических средств Низковольтное оборудование, не включенное в Перечень продукции, подлежащей сертификации к ТР ТС 004/2011
Схема декларирования	Технические средства, не включенные в Перечень продукции, подлежащей сертификации к ТР ТС 020/2011 1д
Тип объекта декларирования	Серийный выпуск

Декларация о соответствии

Статус декларации	Действует
Регистрационный номер декларации о соответствии	ЕАЭС N RU Д-TW.PA03.B.07051/24
Дата регистрации декларации	28.03.2024
Дата окончания действия декларации о соответствии	24.03.2029
Свободное распространение продукции не ограничено законодательством РФ	Да

Сведения о приложениях к декларации

Наименование приложения	Порядковый номер приложения	Количество листов в приложении
Приложение продукции	1	

Заявитель

Тип заявителя	Юридическое лицо
Тип декларанта	Уполномоченное изготовителем лицо
Основной государственный регистрационный номер юридического лица (ОГРН)	1157746925797
Идентификационный номер налогоплательщика (ИНН)	9715221131
Организационно-правовая форма	Общества с ограниченной ответственностью
Полное наименование юридического лица	ОБЩЕСТВО С ОГРАНИЧЕННОЙ ОТВЕТСТВЕННОСТЬЮ "БАЙЦИСКО"
Сокращенное наименование юридического лица	ООО "БАЙЦИСКО"
Фамилия руководителя юридического лица	Птахин
Имя руководителя юридического лица	Денис
Отчество руководителя юридического лица	Сергеевич
Должность руководителя	Генеральный директор
Адрес	
Адрес места нахождения	127018, Россия, город Москва, Муниципальный Округ Бутырский вн. тер. город, ул. Складочная, дом 1, строение 15

Контактные данные

Номер телефона	+7 4993482755
Адрес электронной почты	info@buycisco.ru

Сведения о государственной регистрации

Наименование органа, зарегистрировавшего организацию в качестве юридического лица	Межрайонная инспекция Федеральной налоговой службы № 46 по г. Москве
Дата регистрации в качестве ЮЛ	09.10.2015
Дата присвоения ОГРН	09.10.2015
Код причины постановки на учет (КПП)	771501001

Изготовитель

Тип изготовителя	Иностранное лицо
Совпадает с заявителем	Нет
Полное наименование	PLANET TECHNOLOGY CORPORATION

Адрес

Зарегистрировано на территории ЕАЭС	Нет
Адрес места жительства	Тайвань (Китай), 11F, No. 96, Minquan Rd., Xindian Dist., New Taipei City 231, Taiwan (R.O.C.)

Производственные площадки

Тайвань (Китай), 11F, No. 96, Minquan Rd., Xindian Dist., New Taipei City 231, Taiwan (R.O.C.)

Адрес производства продукции	Тайвань (Китай), 11F, No. 96, Minquan Rd., Xindian Dist., New Taipei City 231, Taiwan (R.O.C.)
Полное наименование	Адрес места осуществления деятельности по изготовлению продукции:

Сведения о продукции

Происхождение продукции	ТАЙВАНЬ (КИТАЙ)
Общее наименование продукции	Медиаконверторы,
Общие условия хранения продукции	Условия хранения продукции в соответствии с ГОСТ 15150-69 "Машины, приборы и другие технические изделия. Исполнения для различных климатических районов. Категории, условия эксплуатации, хранения и транспортирования в части воздействия климатических факторов внешней среды". Срок хранения (службы, годности) указан в прилагаемой к продукции товаросопроводительной и/или эксплуатационной документации.

Сведения об обозначении, идентификации и дополнительная информация о продукции

Наименование (обозначение) продукции	Медиаконверторы,
Иная информация о продукции	торговая марка: Planet, Декларация соответствия распространяется на продукцию, изготовленную с даты изготовления отобранных образцов (проб) продукции, прошедших исследования (испытания) и измерения, указанную в акте(ах) отбора
Код ТН ВЭД ЕАЭС	8517620009

Стандарты и иные нормативные документы, применяемые при подтверждении соответствия**Стандарт 1**

Обозначение стандарта, нормативного документа	ГОСТ 12.2.007.0-75
Наименование стандарта, нормативного документа	"Система стандартов безопасности труда. Изделия электротехнические. Общие требования безопасности"
Стандарт 2	
Обозначение стандарта, нормативного документа	ГОСТ 30804.6.1-2013 (IEC 61000-6-1:2005)
Наименование стандарта, нормативного документа	"Совместимость технических средств электромагнитная. Устойчивость к электромагнитным помехам технических средств, применяемых в жилых,
Стандарт 3	
Обозначение стандарта, нормативного документа	ГОСТ IEC 61000-3-3-2015
Наименование стандарта, нормативного документа	"Электромагнитная совместимость (ЭМС). Часть 3-3. Нормы. Ограничение изменений напряжения, колебаний напряжения и фликера в
Приложение	Да
Наименование (обозначение) продукции	Модели согласно приложению
Иная информация о продукции	Медиаконверторы, торговая марка: Planet Парт-номер/SKU-номер Описание оборудования Серия FST-80x FST-801 10/100Base-TX to 100Base-FX (ST, MM) Smart Media Converter-2km FST-802 10/100Base-TX to 100Base-FX (SC, MM) Smart Media Converter-2km FST-802S15 10/100Base-TX to 100Base-FX (SC, SM) Smart Media Converter-15km FST-802S35 10/100Base-TX to 100Base-FX (SC, SM) Smart Media Converter-35km FST-802S50 10/100Base-TX to 100Base-FX (SC, SM) Smart Media Converter-50km FST-806A20 10/100Base-TX to 100Base-FX (SC WDM, SM) Smart Media Converter- TX: 1310nm-20km FST-806B20 10/100Base-TX to 100Base-FX (SC WDM, SM) Smart Media Converter- TX: 1550nm-20km Серия FT-80x FT-801 10/100BASE-TX to 100BASE-FX (ST, MM) Bridge Media Converter -- 2km FT-802 10/100BASE-TX to 100BASE-FX (SC, MM) Bridge Media Converter -- 2km FT-802S15 10/100BASE-TX to 100BASE-FX (SC, SM) Bridge Media Converter -- 15km FT-802S35 10/100BASE-TX to 100BASE-FX (SC, SM) Bridge Media Converter -- 35km FT-802S50 10/100BASE-TX to 100BASE-FX (SC, SM) Bridge Media Converter -- 50km FT-803 10/100BASE-TX to 100BASE-FX (MT-RJ, MM) Bridge Media Converter FT-806A20 * 10/100BASE-TX to 100BASE-FX (WDM TX:1310nm, SM) Bridge Media Converter -- 20km FT-806B20 * 10/100BASE-TX to 100BASE-FX (WDM TX: 1550nm, SM) Bridge Media Converter -- 20km FT-806A60 * 10/100BASE-TX to 100BASE-FX (WDM TX:1310nm, SM) Bridge Media Converter -- 60km FT-806B60 * 10/100BASE-TX to 100BASE-FX (WDM TX:1550nm, SM) Bridge Media Converter -- 60km Серия FTP-802 / FTP-802S15 (PoE) FTP-802 100Base-FX to 10/100Base-TX PoE Media Converter (SC,MM)-2km FTP-802S15 100Base-FX to 10/100Base-TX PoE Media Converter (SC,SM)-15km Media Converter Chassis Серия MC-1610MR / MC- MC-1610MR 16-slot Managed Media Converter Chassis (AC power) MC-1610MR48 16-slot Managed Media Converter Chassis (DC power) MC-RPS130 130W Redundant Power Supply (100-240V AC) MC-RPS48 Redundant Power Supply (-48V DC) Серия MC-1500 MC-1500 19-inch Media Converter Chassis with 15 Slots Серия MC-1500R MC-1500R 15-Slot Media Converter Chassis (AC Power) MC-15RPS48 Redundant Power Supply, -48V DC MC-15RPS130 130W Redundant Power Supply, 100-240V AC Серия MC-1500R48 MC-1500R48 15-Slot Media Converter Chassis(DC power) MC-15RPS130 130W Redundant Power Supply, 100-240V AC MC-15RPS48 Redundant Power Supply, -48V DC Серия MC-700 MC-700 10-inch Media Converter Chassis with 7 Slots 10G Media Converter XT-925A 1-Port 10G/5G/2.5G/1G/100BASE-T + 2-Port 10G/1GBASE-X SFP+ Managed

Код ТН ВЭД ЕАЭС

Приложение

Наименование (обозначение) продукции

Иная информация о продукции

Media Converter XT-915A 2-Port 10G/1GBASE-X SFP+ Managed Media Converter XT-905A 1-Port 10G/5G/2.5G/1G/100BASE-T + 1-Port 10G/1GBASE-X SFP+ Managed Media Converter XST-705A 10G/5G/2.5G/1G/100M Copper to 10GBASE-X SFP+ Smart Media Converter XT-705A 10G/5G/2.5G/1G/100M Copper to 10GBASE-X SFP+ Media Converter XT-715A 10GBASE-T to 10GBASE-X SFP+ Media Converter Gigabit Media Converter GST-802 10/100/1000BASE-T to 1000BASE-SX Smart Gigabit Media Converter -220/550m GST-802S 10/100/1000BASE-T to 1000BASE-LX Smart Gigabit Media Converter -- 20km GST-805A 10/100/1000BASE-T to 1000BASE-SX/LX Smart Gigabit Media Converter (mini-GBIC,SFP) - distance depending on SFP module GST-806A15 10/100/1000BASE-T to 1000BASE-LX WDM Smart Gigabit Media Converter-TX: 1310 – 20km GST-806B15 10/100/1000BASE-T to 1000BASE-LX WDM Smart Gigabit Media Converter-TX: 1550 – 20km GST-806A60 10/100/1000BASE-T to 1000BASE-LX WDM Smart Gigabit Media Converter-TX:1310 – 60km GST-806B60 10/100/1000BASE-T to 1000BASE-LX WDM Smart Gigabit Media Converter-TX: 1550 – 60km GT-915A 10/100/1000BASE-T to 100/1000BASE-X SFP Managed Media Converter GT-1205A 10/100/1000BASE-T to Dual 100/1000BASE-X SFP Media Converter GT-802 10/100/1000BASE-T to 1000BASE-SX Media Converter (SC, MM) -220/550m GT-802S40 10/100/1000BASE-T to 1000BASE-LX Media Converter (SC, SM) -40km GT-802S60 10/100/1000BASE-T to 1000BASE-LX Media 8517620009

Да

Модели согласно приложению

Converter (SC, SM) -60km GT-805A 10/100/1000BASE-T to 100/1000BASE-X Media Converter (mini-GBIC, SFP) - distance depending on SFP module GT-806A15 10/100/1000BASE-T to 1000BASE-LX (WDM) Media Converter TX:1310nm~20m GT-806B15 10/100/1000BASE-T to 1000BASE-LX (WDM) Media Converter TX:1550nm~20km GT-806A40 10/100/1000BASE-T to 1000BASE-LX (WDM) Media Converter TX: 1310nm~40km GT-806B40 10/100/1000BASE-T to 1000BASE-LX (WDM) Media Converter TX:1550nm~40km GT-806A60 10/100/1000BASE-T to 1000BASE-LX (WDM) Media Converter TX:1310nm~60km GT-806B60 10/100/1000BASE-T to 1000BASE-LX (WDM) Media Converter TX: 1550nm~60km GT-802S 10/100/1000BASE-T to 1000BASE-LX Media Converter (SC, SM) -20km GT-805A-PD 802.3at PoE+ PD 10/100/1000BASE-T to 100/1000BASE-X SFP Media Converter RKE-DIN DIN-rail Kit For Media Converter GTP-80x Series 100/1000BASE-X to 10/100/1000BASE-T PoE+ Media Converter GUP-805A-95W 100/1000BASE-X SFP to 10/100/1000BASE-T 802.3bt PoE++ Media Converter (95 Watts) GUP-805A-60W 100/1000BASE-X SFP to 10/100/1000BASE-T 802.3bt PoE++ Media Converter (60 Watts) Ethernet over Phone Wire LRE-104 4-Port 10/100TX + 1-Port UTP/BNC Long Reach Ethernet Extender LRE-101 1-Port 10/100TX over UTP Long Reach Ethernet Extender VC-231 Ethernet over VDSL2 Converter (1 x RJ45, 1 x VDSL2/RJ11,17a/30a) VC-231G 1-Port 10/100/1000T Ethernet to VDSL2 Converter (30a profile w/ G.vectoring) VC-231GP 1-Port 10/100/1000T 802.3at PoE+ Ethernet to VDSL2 Converter (30a profile w/G.Vectoring) VC-231GF 1-Port 1000BASE-X SFP + 1-Port RJ11 VDSL2 Converter (30a profile w/G.Vectoring) VC-234G 4-Port 10/100/1000T Ethernet to VDSL2 Bridge -- 30a profile w/G.vectoring, RJ11 VC-234 Ethernet over VDSL2 Bridge (4*RJ45, 1*VDSL2/RJ11, 1*Phone-30a) LRE-104 4-Port 10/100TX + 1-Port UTP/BNC Long Reach Ethernet Extender LRE-101C 1-Port 10/100TX over Coaxial Long Reach Ethernet Extender VC-232G 1-Port 10/100/1000T Ethernet over Coaxial Converter IVC-234GT Industrial 1-Port BNC/RJ11 to 4-Port Gigabit Ethernet Extender Industrial Media Converter IXT-705AT Industrial 10G/5G/2.5G/1G/100M Copper to 10GBASE-X SFP+ Media

Converter IXT-900-2X1PD Industrial 2-Port 10GBASE-X SFP+ + 1-Port 10GBASE-T PoE PD Managed Media Converter IXT-900-2X1T Industrial 2-Port 10GBASE-X SFP+ + 1-Port 10GBASE-T Managed Media Converter IXT-900-2X Industrial 2-Port 10GBASE-X SFP+ Managed Media Converter IXT-900-1X1T Industrial 1-Port 10GBASE-X SFP+ + 1-Port 10GBASE-T Managed Media Converter IXT-900-1X1UP Industrial 1-Port 10G SFP+ + 1-Port 10GBASE-T 802.3bt PoE++ Managed Media Converter IXT-900-2X1UP Industrial 2-Port 10G SFP+ + 1-Port 10GBASE-T 802.3bt PoE++ Managed Media Converter IGT-900-2T2S Industrial 2-port 10/100/1000T + 2-port 100/1000/2500X SFP Managed Media Converter IGT-900-1T1S Industrial 1-port 10/100/1000T + 1-port 100/1000/2500X SFP Managed Media Converter IGT-2205AT Industrial 2-port 10/100/1000T to 2-port 100/1000/2500X SFP Media Converter IGT-1205AT Industrial 1-port 10/100/1000T to 2-port 100/1000/2500X SFP Media Converter IGT-805AT Industrial 10/100/1000BASE-T to 100/1000BASE-X SFP Media Converter IGT-815AT Industrial Compact 100/1000BASE-X to 10/100/1000BASE-T Media Converter IFT-802T 10/100Base-TX to 100Base-FX Industrial Media Converter - 2km (-40~75 degrees C) IFT-802TS15 10/100Base-TX to 100Base-FX Industrial Media Converter - 15km (-40~75 degrees C) IFT-805AT 10/100Base-TX to 100Base-FX (SFP) Industrial Media Converter (-40~75 degrees C) IGUP-805AT Industrial 1-Port 100/1000X SFP to 1-Port 10/100/1000T 802.3bt PoE++ Media Converter IGUP-2205AT Industrial 2-Port 100/1000X SFP to 2-Port 10/100/1000T 802.3bt PoE++ Media Converter IGUP-1205AT Industrial 2-Port 100/1000X SFP to 1-Port 10/100/1000T 802.3bt PoE++ Media Converter IGTP-802T 1000BASE-SX to 10/100/1000BASE-T 802.3at PoE+ Industrial Media Converter (SC,MM) -550m IGTP-802TS 1000BASE-LX to 10/100/1000BASE-T 802.3at PoE+ Industrial Media Converter (SC,SM) -20km IGTP-805AT 1000BASE-SX 8517620009

Код ТН ВЭД ЕАЭС

Приложение

Наименование (обозначение) продукции

Иная информация о продукции

Да

Модели согласно приложению

/LX to 10/100/1000BASE-T 802.3at PoE+ Industrial Media Converter (mini-GBIC, SFP) IGTP-815AT Industrial Compact 100/1000BASE-X to 10/100/1000BASE-T 802.3at PoE+ Media Converter IGTP-825AT Industrial IP67 1000BASE-X SFP to 10/100/1000BASE-T 802.3at PoE+ Media Converter IFB-244-SLC Industrial 2-Channel Optical Fiber Bypass Switch – single mode LC connector IFB-244-SSC Industrial 2-Channel Optical Fiber Bypass Switch – single mode SC connector IFB-244-MLC Industrial 2-Channel Optical Fiber Bypass Switch – multimode LC connector IFB-244-MSL Industrial 2-Channel Optical Fiber Bypass Switch – multimode SC connector VF-402-KIT 4-Channel Video over Fiber Bundled Kit (VF-402-T + VF-402-R) VF-101G-KIT 1-Channel 4-in-1 Video over Gigabit Fiber Bundle Kit (VF-101G-T + VF-101G-R) VF-102G-KIT 1-Channel 4-in-1 Video over Gigabit Fiber Bundle Kit (VF-102G-T + VF-102G-R) VF-106G-KIT 1-Channel 4-in-1 Video over Gigabit Fiber Bundle Kit (VF-106G-T + VF-106G-R) Transiever QSFP-100G-SR4 100GBASE-SR4 QSFP28 Fiber Transceiver (Multimode, MPO, 850nm, DDM) – 100m QSFP-100G-LR4 100GBASE-LR4 QSFP28 Fiber Transceiver (Single mode, LC, 1310nm, DDM) – 10km CB-QSFP4X10G-1M 40G QSFP+ to 4 10G SFP+ Direct Attached Copper Cable (1M in length) CB-QSFP4X10G-3M 40G QSFP+ to 4 10G SFP+ Direct Attached Copper Cable (3M in length) CB-QSFP4X10G-5M 40G QSFP+ to 4 10G SFP+ Direct Attached Copper Cable (5M in length) QSFP-40G-SR4 40GBASE-SR4 QSFP+ Fiber Transceiver (Multimode, MPO, 850nm, DDM) – 100m QSFP-40G-LR4 40GBASE-LR4 QSFP+ Fiber Transceiver (Single mode, LC, 1310nm, DDM) – 10km CB-DAQSFP-0.5M 40G QSFP+ Direct-attached Copper Cable (0.5M in length) CB-DAQSFP-2M 40G QSFP+ Direct-attached Copper Cable (2M in length) XGS3-S20X2Q 20-Port 10G SFP+ + 2-Port 40G QSFP+ Switch Module for XGS3-42000R (v2) MTB-LB40 1-Port 10GBASE-

BX SFP+ Fiber Optic Module - 40km (TX:1330nm RX:1270nm) MTB-LA40 1-Port 10GBASE-BX SFP+ Fiber Optic Module - 40km (TX:1270nm RX:1330nm) MTB-LB20 1-Port 10GBASE-BX SFP+ Fiber Optic Module - 20km (TX:1330nm RX:1270nm) MTB-LA20 1-Port 10GBASE-BX SFP+ Fiber Optic Module - 20km (TX:1270nm RX:1330nm) MTB-TSR 1-Port 10GBASE-SR SFP+ Fiber Optic Module - 300m (-40~85 degrees C) MTB-TLR 1-Port 10GBASE-LR SFP+ Fiber Optic Module - 10km (-40~85 degrees C) MTB-SR 1-Port 10GBASE-SR SFP+ Fiber Optic Module - 300m MTB-LR 1-Port 10GBASE-LR SFP+ Fiber Optic Module - 10km MTB-LA60 1-Port 10GBASE-BX SFP+ Fiber Optic Module - 60km (TX:1270nm RX:1330nm) MTB-LB60 1-Port 10GBASE-BX SFP+ Fiber Optic Module - 60km (TX:1330nm RX:1270nm) MTB-RJ 1-Port 10GBASE-T SFP+ Copper Fiber Optic Module - 30m MTB-LR40 1-Port 10GBASE-LR SFP+ Fiber Optic Module - 40km MTB-TLR40 1-Port 10GBASE-LR SFP+ Fiber Optic Module - 40km (-40~85 degrees C) MTB-SR2 1-Port 10GBASE-LR SFP+ Fiber Optic Module - 2km MTB-LR20 1-Port 10GBASE-LR SFP+ Fiber Optic Module - 20km MTB-LR60 1-Port 10GBASE-LR SFP+ Fiber Optic Module - 60km MTB-LR80 1-Port 10GBASE-LR SFP+ Fiber Optic Module - 80km MTB-TSR2 1-Port 10GBASE-LR SFP+ Fiber Optic Module - 2km (-40~85 degrees C) MTB-TLR20 1-Port 10GBASE-LR SFP+ Fiber Optic Module - 20km (-40~85 degrees C) MTB-TLR60 1-Port 10GBASE-LR SFP+ Fiber Optic Module - 60km (-40~85 degrees C) MTB-TLA20 1-Port 10GBASE-BX SFP+ Fiber Optic Module - 20km (TX:1270nm RX:1330nm) (-40~85 degrees C) MTB-TLB20 1-Port 10GBASE-BX SFP+ Fiber Optic Module - 20km (TX:1330nm RX:1270nm) (-40~85 degrees C) MTB-TLA40 1-Port 10GBASE-BX SFP+ Fiber Optic Module - 40km (TX:1270nm RX:1330nm) (-40~85 degrees C) MTB-TLB40 1-Port 10GBASE-BX SFP+ Fiber Optic Module - 40km (TX:1330nm RX:1270nm) (-40~85 degrees C) MTB-TLA60 1-Port 10GBASE-BX SFP+ Fiber Optic Module - 60km (TX:1270nm RX:1330nm) (-40~85 degrees C) MTB-TLB60 1-Port 10GBASE-BX SFP+ Fiber Optic Module - 60km (TX:1330nm RX:1270nm) (-40~85 degrees C) MTB-LA10 1-Port 10GBASE-BX SFP+ Fiber Optic Module - 10km (TX:1270nm RX:1330nm) MTB-LB10 1-Port 10GBASE-BX SFP+ Fiber Optic Module - 10km (TX:1330nm RX:1270nm) CB-DASFP-0.5M 10G SFP+ 8517620009

Код ТН ВЭД ЕАЭС

Приложение

Наименование (обозначение) продукции

Иная информация о продукции

Да

Модели согласно приложению

Directly-attached Copper Cable (0.5M in length) CB-DASFP-2M 10G SFP+ Directly-attached Copper Cable (2M in length) MGB-2GTSR 2.5G SFP Transceiver (Multi-mode, 850nm, DDM, -40~85 degrees C) - 300m MGB-2GTLA20 2.5G SFP Transceiver (Single mode WDM, TX:1310nm RX:1550nm, DDM, -40~85 degrees C) - 20km MGB-2GTLB20 2.5G SFP Transceiver (Single mode WDM, TX:1550nm RX:1310nm, DDM, -40~85 degrees C) - 20km MGB-2GSR 2.5G SFP Transceiver (Multi-mode, 850nm, DDM, 0~70 degrees C) - 300m MGB-2GLA20 2.5G SFP Transceiver (Single mode WDM, TX:1310nm RX:1550nm, DDM, 0~70 degrees C) - 20km MGB-2GLB20 2.5G SFP Transceiver (Single mode WDM, TX:1550nm RX:1310nm, DDM, 0~70 degrees C) - 20km MGB-2GLR20 2.5G SFP Transceiver (Single mode, 1310nm, DDM) - 20km MGB-2GLR2 2.5G SFP Transceiver (Single mode, 1310nm, DDM) - 2km MGB-2GTLR20 2.5G SFP Transceiver (Single mode, 1310nm, DDM, -40~85 degrees C) - 20km MGB-2GTLR2 2.5G SFP Transceiver (Single mode, 1310nm, DDM, -40~85 degrees C) - 2km GPL-GSFP-C+ GPON OLT SFP Transceiver (Class C+, Optical Power: 3dBm~7dBm, Download 2.5G/Upload 1.25G, TX: 1490nm, RX: 1310nm) -- 20km GPL-GSFP-C++ GPON OLT SFP Transceiver (Class C++, Optical Power: 4.5 dBm~10dBm, Download 2.5G/Upload 1.25G, TX: 1490nm, RX: 1310nm) -- 20km MGB-GT SFP-Port 1000BASE-T Module MGB-LX SFP-Port 1000BASE-LX mini-GBIC module - 20km MGB-SX SFP-Port 1000BASE-SX

mini-GBIC module - 550m MGB-SX2 SFP-Port 1000BASE-SX mini-GBIC module - 2km MGB-L40 SFP-Port 1000BASE-LX mini-GBIC module - 40km MGB-L80 SFP-Port 1000BASE-LX mini-GBIC module - 80km MGB-L120 SFP-Port 1000BASE-LX mini-GBIC module - 120km MGB-LA10 SFP-Port 1000BASE-BX (WDM, TX:1310nm) mini-GBIC module - 10km MGB-LB10 SFP-Port 1000BASE-BX (WDM, TX:1550nm) mini-GBIC module - 10km MGB-LA20 SFP-Port 1000BASE-BX (WDM, TX:1310nm) mini-GBIC module - 20km MGB-LB20 SFP-Port 1000BASE-BX (WDM, TX:1550nm) mini-GBIC module - 20km MGB-LA40 SFP-Port 1000BASE-BX (WDM, TX:1310nm) mini-GBIC module - 40km MGB-LB40 SFP-Port 1000BASE-BX (WDM, TX:1550nm) mini-GBIC module - 40km MGB-LA80 SFP-Port 1000BASE-BX (WDM, TX:1490nm) mini-GBIC module - 80km MGB-LB80 SFP-Port 1000BASE-BX (WDM, TX:1550nm) mini-GBIC module - 80km MGB-TSX SFP-Port 1000BASE-SX mini-GBIC module - 550m (-40~85 degrees C) MGB-TSX2 SFP-Port 1000BASE-SX mini-GBIC module - 2km (-40~85 degrees C) MGB-TLX SFP-Port 1000BASE-LX mini-GBIC module - 20km (-40~85 degrees C) MGB-TL40 SFP-Port 1000BASE-LX mini-GBIC module - 40km (-40~85 degrees C) MGB-TL80 SFP-Port 1000BASE-LX mini-GBIC module - 80km (-40~85 degrees C) MGB-TLA10 SFP-Port 1000BASE-BX (WDM, TX:1310nm) mini-GBIC module - 10km (-40~85 degrees C) MGB-TLB10 SFP-Port 1000BASE-BX (WDM, TX:1550nm) mini-GBIC module - 10km (-40~85 degrees C) MGB-TLA20 SFP-Port 1000BASE-BX (WDM, TX:1310nm) mini-GBIC module - 20km (-40~85 degrees C) MGB-TLB20 SFP-Port 1000BASE-BX (WDM, TX:1550nm) mini-GBIC module - 20km (-40~85 degrees C) MGB-TLA40 SFP-Port 1000BASE-BX (WDM, TX:1310nm) mini-GBIC module - 40km (-40~85 degrees C) MGB-TLB40 SFP-Port 1000BASE-BX (WDM, TX:1550nm) mini-GBIC module - 40km (-40~85 degrees C) MGB-TLA80 SFP-Port 1000BASE-BX (WDM, TX:1490nm) mini-GBIC module - 80km (-40~85 degrees C) MGB-TLB80 SFP-Port 1000BASE-BX (WDM, TX:1550nm) mini-GBIC module - 80km (-40~85 degrees C) MGB-TSA SFP-Port 1000BASE-BX (WDM, TX:1310nm) mini-GBIC module - 2km (-40~85 degrees C) MGB-TSB SFP-Port 1000BASE-BX (WDM, TX:1550nm) mini-GBIC module - 2km (-40~85 degrees C) MGB-TGT SFP-Port 1000BASE-T Module - 100m (-40~85 degrees C) MGB-TLA120 SFP-Port 1000BASE-BX (WDM, TX:1490nm) mini-GBIC module - 120km (-40~85) MGB-TLB120 SFP-Port 1000BASE-BX (WDM, TX:1550nm) mini-GBIC module - 120km (-40~85) MFB-FX SFP-Port 100BASE-FX Transceiver (1310nm) -2km MFB-F20 SFP-Port 100BASE-FX Transceiver (1310nm) - 20km MFB-FA20 SFP-Port 100BASE-BX Transceiver (WDM,TX:1310nm) -20km MFB-FB20 SFP-Port 100BASE-BX Transceiver (WDM,TX:1550nm) -20km MFB-F40 SFP-Port 100BASE-FX Transceiver (1310nm) - 40KM MFB-F60 8517620009

Код ТН ВЭД ЕАЭС

Приложение

Наименование (обозначение) продукции

Иная информация о продукции

Да

Модели согласно приложению

SFP-Port 100BASE-FX Transceiver (1310nm) - 60KM MFB-TFX SFP-Port 100BASE-FX Transceiver (1310nm) -2km (-40~85 degrees C) MFB-TF20 SFP-Port 100BASE-FX Transceiver (1310nm) - 20km (-40~85 degrees C) MFB-TFA20 SFP-Port 100BASE-BX (WDM, TX:1310nm) mini-GBIC module-20km (-40~85 degrees C) MFB-TFB20 SFP-Port 100BASE-BX (WDM, TX:1550nm) mini-GBIC module-20km (-40~85 degrees C) MFB-TFA40 SFP-Port 100BASE-BX (WDM, TX:1310nm) mini-GBIC module-40km (-40~85 degrees C) MFB-TFB40 SFP-Port 100BASE-BX (WDM, TX:1550nm) mini-GBIC module-40km (-40~85 degrees C) MFB-TSA SFP-Port 100BASE-BX Transceiver (Multi-mode/WDM,TX:1310nm RX:1550nm / DDM) - 2km (-40~85 degrees C) MFB-TSB SFP-Port 100BASE-BX Transceiver (Multi-mode/WDM,TX:1550nm RX:1310nm / DDM) - 2km (-40~85 degrees C) 8517620009

Код ТН ВЭД ЕАЭС

Исследования, испытания, измерения

Испытательная лаборатория

Лаборатория 1

Наименование испытательной лаборатории	ИСПЫТАТЕЛЬНАЯ ЛАБОРАТОРИЯ ОБЩЕСТВА С ОГРАНИЧЕННОЙ ОТВЕТСТВЕННОСТЬЮ ИСПЫТАТЕЛЬНЫЙ ЦЕНТР «КОНТРОЛЬ», аттестат аккредитации РОСС RU.32468.04ЛЕГО.ИЛ.009 от 28.09.2023
Адрес места осуществления деятельности производственной лаборатории	105118, Российская Федерация, город Москва, улица Буракова, 27 к6

Протокол исследования (испытания) и измерения

Дата протокола	22.03.2024
Номер протокола	ЕЛС-001-1058

Документы, предполагаемые схемой декларирования

ТР ТС 004/2011

ТР ТС 020/2011

Исследование типа продукции

Заключение об исследовании типа продукции

Страна места нахождения	РОССИЯ
Признак аккредитации	Да

Документы, представленные заявителем

Одобрение типа транспортного средства/одобрение типа шасси

Страна места нахождения	РОССИЯ
-------------------------	--------

QR - код

